

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT NUMBER: 247
IDENTITY: MS-247 GONE II + 20A Revision Date: 03/26/2010

Section I

Manufacturer's Name: MAINTENANCE SOLUTIONS*** ^ Telephone Numbers:
Address: P.O. BOX 12202 Emergency:
800/255-3924
SCOTTSDALE Information:
State: AZ Zip Code: 85267 800/747-9593

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)
=====

Table with 7 columns: Name, Cas No., OSHA PEL, ACGIH TLV, OTHER LIM, %, and a blank column. Rows include 2-BUTOXY ETHANOL, ISOPROPYL ALCOHOL, and PROPANE/N-BUTANE.

Comment:
THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT
TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING
AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS
=====

Boiling Point: 212 Specific Gravity (water=1) 1.00
Vapor Pressure (mm Hg) 17.5 Melting Point: N/A
Vapor Density (AIR=1) 1 Evaporation Rate: <0.3
Solubility in Water: 100% (Butyl Acetate=1)
Appearance and Odor: CLEAR SPRAY, FRUITY BUTYL ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA
=====

Flash Point (Method Used): NONE Flammable Limits: LEL: N/A UEL: N/A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS
WHEN INDICATED

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO
TEMPERATURES ABOVE 120 MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 247

Stability: Unstable: Conditions to avoid:
Stable: X TEMPERATURES ABOVE 120 F
Incompatibility (Materials to Avoid): NONE

Hazardous Decomposition or Byproducts: NONE

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
INHALATION: EXPOSURE TO EXCESSIVE FUMES MAY CAUSE DIZZINESS. EYES: SEVERE
IRRITATION, BURNING, CAN CAUSE MILD CORNEAL DAMAGE. SKIN: MAY CAUSE
LOCALIZED DEFATTING. INGESTION: MAY CAUSE NAUSEA OR VOMITING.
Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR.
INGESTION: DO NOT INDUCE VOMITING-SEE PHYSICIAN. SKIN: WASH WITH SOAP & WATER
IF IRRITATION PERSISTS, SEE PHYSICIAN. EYES: RINSE THOROUGHLY WITH WATER
FOR 15 MINUTES - IF IRRITATION PERSISTS - SEE PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH
RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL GUIDELINES. WRAP CONTAINER AND PLACE IN TRASH COLLECTION

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM CHILDREN
STORE IN A COOL DRY AREA. KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAME.
CONTENTS UNDER PRESSURE.
Other Precautions: EXPOSURE TO TEMPERATURES >120F MAY CAUSE BURSTING.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE WITH ADEQUATE VENTILATION.
Ventilation: Local Exhaust: ADEQUATE
Mechanical: N/A Special: N/A
Other: N/A
Protective Gloves: N/A
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS
Other Protective Clothing or Equipment:
N/A
Work/Hygienic Practices:
WASH HANDS AFTER USE

□